PHYTOPATHOLOGY

AN INTERNATIONAL JOURNAL

OFFICIAL ORGAN OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME 35
JANUARY–DECEMBER, 1945

EDITORS

HELEN HART — W. H. BURKHOLDER
A. J. RIKER — W. J. ZAUMEYER

ASSOCIATE EDITORS

E. J. ANDERSON — J. M. HAMILTON — H. N. RACICOT
L. M. BLACK — F. L. HOWARD — L. R. TEHON
A. A. DUNLAP — W. G. HOYMAN — C. M. TUCKER
M. W. GARDNER — G. C. KENT — W. W. WAGENER

BUSINESS MANAGEMENT

R. M. CALDWELL — PAUL E. TILFORD

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

OFFICERS

H. B. HUMPHREY, *President*
J. H. CRAIGIE, *Vice-President*
E. M. JOHNSON, *Secretary*
R. M. CALDWELL, *Treasurer*

COUNCILORS

C. H. ARNDT — M. C. RICHARDS — R. W. GOSS
R. J. HASKELL — R. S. KIRBY — L. D. LEACH
J. J. CHRISTENSEN

PUBLISHED FOR THE SOCIETY
THE SCIENCE PRESS PRINTING COMPANY
LANCASTER, PENNSYLVANIA

PHYTOPATHOLOGY

INDEX TO VOLUME 35, 1945

Volume 35
Number 12
December, 1945

1945

Science Lib.
Idaho

CONTENTS OF VOLUME 35, 1945

NO. 1. JANUARY

William Titus Horne. T. E. RAWLINS 1
The influence of fungi on storage, on seed viability and seedling vigor of soybeans. IAN W. TERVET 3
Resistance to Septoria leaf spot and its inheritance in tomatoes. C. F. ANDRUS and G. B. REYNARD 16
Inheritance of resistance to the collar-rot phase of Alternaria solani on tomato. GEORGE B. REYNARD and C. F. ANDRUS 25
Mosaic, streak and yellows of carnation. LEON K. JONES 37
Myrobalan mottle and asteroid spot. E. M. HILDEBRAND 47
The prevalence of Septoria on cereal seed in Canada. J. E. MACHACEK 51
Salts as antidotes to copper in its toxicity to the conidia of Sclerotinia fructicola. PAUL B. MARSH 54
Specialization of pathogenicity in Erysiphe graminis on Poa and its relation to blue-grass improvement. JOHN R. HARDISON 62
Hypoxylon pruinatum and its pathogenesis on poplar. R. H. GRUENHAGEN 72

NO. 2. FEBRUARY

Root defects and fungi associated with the little-leaf disease of southern pines. L. W. R. JACKSON 91
Reserve food storage in shortleaf pine in relation to little-leaf disease. GEORGE H. HEPTING 106
Further testing of copper fungicides for control of tomato blight in southwest Virginia. R. G. HENDERSON 120
Additional species of Lilium susceptible to lily-rosette virus. PHILIP BRIERLEY and FLOYD F. SMITH 129
Pathogenicity of isolates of Rhizoctonia solani from potatoes. L. H. PERSON 132
Leaf scald of sugar cane in Brazil. S. C. ARRUDA and J. FRANCO DO AMARAL 135
Phytopathological Notes 138
Phytophthora wilt and stem canker of Cinchona. BOWEN S. CRANDALL and WILLIAM C. DAVIS
Crater rot and blotch of celery, a new aspect of soft rot caused by Erwinia carotovora. P. A. ARK
Susceptibility to black root rot of apple trees having various root and top combinations. J. S. COOLEY
Breeding oats to combine resistance to race 45 and other races of crown rust common in Arkansas. H. ROSEN
A Penicillium disease of soybeans. M. R. HARRIS and C. W. ELLETT
Verticillium wilt and die-back of Viburnum. R. C. BAINES

NO. 3. MARCH

Noel Finley Thompson. JAMES G. DICKSON 149
Ustilago striaeformis. III. A further study of factors that influence after-ripening of chlamydospores from Poa pratensis. K. W. KREITLOW 152
Synthetic culture media for the root-rot fungus, Phymatotrichum omnivorum. WALTER N. EZEKIEL 159
Root diseases of Castanea species and some coniferous and broadleaf nursery stocks, caused by Phytophthora cinnamomi. BOWEN S. CRANDALL, G. F. GRAVATT, and MARGARET MILBURN RYAN 162
Blight of oriental arborvitae. A. G. PLAKIDAS 181
Effect of seed treatment on protection, rate of emergence, and growth of garden peas. L. D. LEACH and PAUL G. SMITH 191
The effect of manure and of commercial fertilizer on susceptibility of young apple trees to black root rot. J. S. COOLEY 207
Pullularia pullulans storage fruit spot of tomato. CARLTON F. TAYLOR and LELAND SHANOR 210
Design for constant temperature tanks. W. A. CAMPBELL and JOHN T. PRESLEY 213
Phytopathological Notes 217
Poria microspora in house timbers. RAY R. HIRT and JOSIAH L. LOWE
The name of Ansatospora macrospora. H. N. HANSEN and C. M. TOMPKINS
The culture designated Madison 517 identified as Polyporus tulipiferus. ELLIS F. DARLEY and CLYDE M. CHRISTENSEN

NO. 4. APRIL

Mosaic of the common Coleus. D. B. CREAGER 223
Rhizoctonia neck rot of gladiolus. D. B. CREAGER 230
Selenophoma bromigena leaf spot on Bromus inermis. J. LEWIS ALLISON 233
The brown leaf spot on Bromus inermis caused by Pyrenophora bromi. D. W. CHAMBERLAIN and J. LEWIS ALLISON 241
Alternaria ricini (Yoshii) Hansford, the cause of a serious disease of the castor-bean plant (Ricinus communis L.) in the United States. E. C. STEVENSON 249
Pathogenicity of the Dutch elm disease fungus. L. J. TYLER and K. G. PARKER 257
Report of the 36th annual meeting and war conference of the American Phytopathological Society 262

NO. 5. MAY

Howard Everett Parson. H. L. CRANE 281
On pod spots in peppers. H. BREMER 283
The prevalence of the wheat nematode in China and its control. VONG-MAY CHU 288
Effect of low temperatures on survival of Phymatotrichum omnivorum. WALTER N. EZEKIEL 296
Influence of temperature on the Dutch elm disease in potted American elm. L. J. TYLER 302
Some etiological aspects of mealybug wilt. WALTER CARTER 305
The influence of plant nutrition on susceptibility of pineapple plants to mealybug wilt. WALTER CARTER 316
A Cercospora leafspot of cultivated Physostegia. WILBERT A. JENKINS 324
Varietal resistance and susceptibility of wheat to flag smut (Urocystis tritici Koern.). IV. Further studies on physiologic specialization in Urocystis tritici Koern. T. F. YU, H. R. WANG, and C. T. FANG 332
Elsinöe and Sphaceloma diseases in Yunnan, China, particularly hyacinth bean scab and scab of castor bean. C. C. CHEO and ANNA E. JENKINS 339
The field inoculation of rye with Claviceps purpurea. RALPH W. LEWIS 353
The effect of brief temperature treatments on germination of urediospores of Phragmidium mucronatum (Fr.) Schlecht. VINCENT W. COCHRANE 361
Phytopathological Notes 367
Effect of vernalization on the development of stripe in barley. EWART ÅBERG
Control of the gall disease of Gypsophila caused by Phytomonas gypsophilae (Brown) Magrou. P. P. PIRONE

NO. 6. JUNE

Culture types and pathogenicity of isolates of Corticium solani. BYRON R. HOUSTON 371
Specialization in Erysiphe graminis for pathogenicity on wild and cultivated grasses outside the tribe Hordeae. JOHN R. HARDISON 394
The seasonal development and defoliating effect of Cronartium ribicola on naturally infected Ribes roezli and R. nevadense. JAMES W. KIMMEY 406
Aecial hosts of Puccinia graminis in China. LEE LING 417
Studies in the Fusarium damping-off of conifers. I. The comparative virulence of certain Fusaria. HOWARD TINT 421
Studies in the Fusarium damping-off of conifers. II. Relation of age of host, pH, and some nutritional factors to the pathogenicity of Fusarium. HOWARD TINT 440
The effect of artificial light on germination of urediospores of Phragmidium mucronatum (Fr.) Schlecht. VINCENT W. COCHRANE 458
Late blight forecasting service. I. E. MELHUS 463
Phytopathological Notes 480
A Diplodia associated with concealed damage in peanuts. COYT WILSON
Galls on the roots of citron-watermelon hybrids. M. N. WALKER
Report of the second annual meeting of the Potomac Division of the American Phytopathological Society 483

NO. 7. JULY

Peter Henry Rolfs. HOWARD S. FAWCETT 491
Studies in the Fusarium damping-off of conifers. III. Relation of temperature and sunlight to the pathogenicity of Fusarium. HOWARD TINT 498
An apparatus for the growth of plants under controlled temperature levels. HOWARD TINT 511
A pereliminary report on further studies of physiologic specialization in Ustilago hordei. T. F. YU and C. T. FANG 517

Application of penicillin to crown gall. J. G. BROWN and ALICE M. BOYLE 521
The mode of infection and the incubation period in the stem smut of grasses, Ustilago spegazzinii (U. hypodytes). GEORGE W. FISCHER 525
The reaction of 21 species in the Cucurbitaceae to artificial infection with cantaloupe powdery mildew (Erysiphe cichoracearum D. C.). THOMAS W. WHITAKER and DEAN E. PRYOR 533
Technique for hastening foliage symptoms of psorosis of citrus. JAMES M. WALLACE 535
The invasion of the internal structure of cotton seed by certain Fusaria. B. A. RUDOLPH and G. J. HARRISON 542
The field reactions of certain oats hybrids and varieties to stem rust. M. B. MOORE, H. K. HAYES, and E. C. STAKMAN 549
Nigrospora oryzae (B. and Br.) Petch on maize. J. H. STANDEN 552
Anthracnose of garden pea. S. H. OU and J. C. WALKER 565
Phytopathological Notes 571
Physiologic specialization in Helminthosporium gramineum Rabh. D. C. ARNY
Nematode infection of Croft Easter lilies. WILBUR D. COURTNEY
Inoculations of the evergreen species of Prunus (Laurocerasus) with Tranzschelia pruni-spinosae. CLAYTON O. SMITH
Polyporus versicolor on Asiatic chestnut. RAY R. HIRT and J. L. LOWE

NO. 8. AUGUST

Arthur Henry Reginald Buller. W. F. HANNA, C. W. LOWE, and E. C. STAKMAN 577
The effect of rugose mosaic on the yield of potatoes. J. G. BALD 585
Virus C from an old Australian variety of potato. J. G. BALD and D. O. NORRIS 591
Tobacco anthracnose, a plant bed and field disease. E. A. WALKER and ELIZABETH WISE MCINROY 598
Curly-top and California-aster-yellows diseases of flax. HENRY H. P. SEVERIN and BYRON R. HOUSTON 602
Transmission of peach wart to sweet cherry. S. M. ZELLER and J. A. MILBRATH 607
Anatomy of buckskin-diseased peach and cherry. HENRY SCHNEIDER 610
A root rot of guayule caused by Pythium ultimum. W. A. CAMPBELL and BAILEY SLEETH 636
A simple method of inoculating barley with loose smut. J. M. POEHLMAN 640
Smut control in sorghum and effect of dust fungicides and storage on emergence. R. W. LEUKEL and J. E. LIVINGSTON 645
Report of the 1945 annual meeting of the New England Division of the American Phytopathological Society 654

NO. 9. SEPTEMBER

Herbert Hice Whetzel, 1877–1944. M. F. BARRUS and E. C. STAKMAN 659
Strumella canker of oak. BAILEY SLEETH and ROLLAND C. LORENZ 671
Factors affecting the saprogenic activities of the Dutch elm disease pathogen. L. J. TYLER and K. G. PARKER 675
Anthracnose resistance in flax. CHARLES RAY, JR. 688
A graft-transmissible virus of sweet potato. S. P. DOOLITTLE and L. L. HARTER 695
Movement of mosaic virus through sugar-cane seed pieces. I. L. FORBES and P. J. MILLS 705
Rhizoctonia bud rot of strawberry plants. J. B. DEMAREE 710
Fungicides in relation to scab and fruit russet of pear in the Hood River Valley, Oregon. J. R. KIENHOLZ and LEROY CHILDS 714
The relation of the occurrence of foliage symptoms of chlorotic streak of sugar cane to the distribution of the virus in the plant. E. V. ABBOTT 723
Phytopathological Notes 737
Virus diseases of guayule. HENRY H. P. SEVERIN
The sooty stripe disease of sorghum. DOUGLAS C. BAIN
Rhizoctonia foliage disease of Hevea brasiliensis. JOHN E. KOTILA
Cotton-leaf-spot Rhizoctonia and its perfect stage on sugar beets. JOHN E. KOTILA
The longevity of the pathogen causing the wilt of the common bean. WALTER H. BURKHOLDER
Phoma terrestris on sugar-cane roots in Louisiana. FERNANDO CARVAJAL

NO. 10. OCTOBER

Ernest Adam Dopp, 1896–1944. R. D. RANDS 745
Viability and infection of light and heavy cotton seeds. C. H. ARNDT 747

Varietal variation and inheritance studies on natural water-soaking in tobacco. HOWARD E. HEGGESTAD 754
The nematocidal and fungicidal value of D–D mixture and other soil fumigants. G. K. PARRIS 771
Inheritance of resistance to barley stripe. D. C. ARNY 781
Studies on cranberry false blossom. L. O. KUNKEL 805
A leaf spot of cowpea and soybean caused by an undescribed species of Helminthosporium. LINDSAY S. OLIVE, DOUGLAS C. BAIN, and C. L. FEFEBVRE 822
Parasitism of Rhizoctonia solani from alfalfa. OLIVER F. SMITH 832
Studies on Ascochyta imperfecta, a seed- and soil-borne parasite of alfalfa. M. W. CORMACK 838
Announcement 856

NO. 11. NOVEMBER

Wildfire disease of soybeans. WILLIAM B. ALLINGTON 857
Leafhopper oviposition, the cause of one form of apple measles. JOHN C. DUNEGAN and DWIGHT ISELY 870
Genetic leaf roll of Irish potato seedlings. E. L. LECLERG 877
Preliminary studies on physiologic specialization in Tilletia tritici and T. levis in China. T. F. YU, H. R. WANG, C. T. FANG, and S. Y. YIN 879
Epidemiology studies on stripe rust of wheat in Chengtu Plain, China. LEE LING 885
Copper sulphate as an eradicant spray for powdery mildews. C. E. YARWOOD 895
Tip burn of sugar beet with special reference to some light and nitrogen relations. J. M. FIFE and EUBANKS CARSNER 910
Pathogenicity of the vascular Fusarium of Gladiolus to some additional Iridaceous plants. W. D. MCCLELLAN 921
Phytopathological Notes 931
A cross between Lycopersicon esculentum and disease-resistant L. peruvianum. W. S. PORTE and H. B. WALKER
Varietal resistance of tomato seedlings to the stem-lesion phase of Alternaria solani. W. D. MOORE and GEORGE B. REYNARD
Meadow nematodes as the cause of root destruction. G. STEINER
A bacterial streak disease of Phleum pratense L. J. R. WALLIN and C. S. REDDY
Notes on physiologic specialization in Puccinia graminis tritici Erikss. and Henn. in China. SIN-YÜN YIN
A graft-transmissible mosaic disease of grapevine. WM. B. HEWITT
A more virulent black pit organism on citrus. CLAYTON O. SMITH and L. J. KLOTZ

NO. 12. DECEMBER

The red-spot disease of broad beans (Vicia faba L.) caused by Botrytis fabae Sardiña in China. T. F. FU 945
Distribution of races of Tilletia caries and Tilletia foetida and their relative virulence on certain varieties and selections of wheat. H. A. RODENHISER and C. S. HOLTON 955
New physiologic races of Ustilago hordei. V. F. TAPKE 970
A new species of Colletotrichum on veteh. J. L. WEIMER 977
A line-pattern virosis of Shiro plum. R. S. WILLISON 991
Two Alternaria diseases of cruciferous plants. JEFFERSON F. RANGEL 1002
Inoculation experiments with Pseudomonas ribicola. G. W. BOHN and J. C. MALOIT 1008
Infection experiments with detached water-congested leaves. JAMES JOHNSON 1017
Phytopathological Notes 1029
The relationship between American tobacco streak and Brazilian "Necrose branca" or "Couve." A. S. COSTA
Agar medium and technique for isolating Pythium free of bacteria. BAILEY SLEETH
Announcement 1032